

Make/Model	Yr Start	Yr End	Solution	Part for Fuse 1	Part for Fuse 2	Part for Fuse 3	Part for Fuse 4	Type Fuse 1	Amps Fuse 1	ID Fuse 1	Location Fuse 1	Type Fuse 2	Amps Fuse 2	ID Fuse 2	Location Fuse 2	Type Fuse 3	Amps Fuse 3	ID Fuse 3	Location Fuse 3	Type Fuse 4	Amps Fuse 4	ID Fuse 4	Location Fuse 4	Notes	Additional Restrictions	Footnotes	
MALIBU	2001	2003	REQUIRED	76512				ATM		"G" PCM	INSTRUMENT PANEL FUSE BLOCK	ATM		"J" BCM	INSTRUMENT PANEL FUSE BLOCK									LEAVE 25 AMP FUSE IN WIPERS			
MALIBU	2004	2005	REQUIRED	76513				FMX	30	IBCM 1	ENGINE COMPARTMENT FUSE BLOCK													LEAVE 25 AMP FUSE IN WIPERS			
MALIBU (inc. '08 Malibu Classic)	2006	2012	REQUIRED	76511				ATM	10	IGN SENSOR	INSTRUMENT PANEL FUSE BLOCK													BATTERY COULD DRAIN IF FUSE ISNT PULLED			
MALIBU (with keyed ignition)	2014	2015	REQUIRED	76512		76511		ATM		LAMPS 8	INSTRUMENT PANEL FUSE BLOCK	ATM		IGN/ELECT KEY SYSTEM 22	INSTRUMENT PANEL FUSE BLOCK	ATM		KEY CAPTURE 24	INSTRUMENT PANEL FUSE BLOCK								
MALIBU (with push button ignition)	2014	2015	REQUIRED	76512				ATM		LAMPS 8	INSTRUMENT PANEL FUSE BLOCK	ATM		KEY CAPTURE 24	INSTRUMENT PANEL FUSE BLOCK												
MALIBU	2016	2017	REQUIRED	76512				ATM	10	BCM2	INSTRUMENT PANEL FUSE BLOCK	ATM	41	BCM1	INSTRUMENT PANEL FUSE BLOCK												
MALIBU LIMITED	2016	2016	REQUIRED	76512		76511		ATM		LAMPS 8	INSTRUMENT PANEL FUSE BLOCK	ATM		IGN/ELECT KEY SYSTEM 22	INSTRUMENT PANEL FUSE BLOCK	ATM		KEY CAPTURE 24	INSTRUMENT PANEL FUSE BLOCK								
SONIC	2012	2016	REQUIRED	76511				ATM		DLIS FUSE 1	INSTRUMENT PANEL FUSE BLOCK																
SPARK	2013	2015	REQUIRED	76511				ATM		DLIS FUSE 1	INSTRUMENT PANEL FUSE BLOCK																
TRAVERSE	2009	2011	REQUIRED	76513	76511			FMX	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	ENGINE COMPARTMENT FUSE BLOCK									PER GM BULLETIN DATED 9/5/12		2	
TRAVERSE	2012	2012	REQUIRED	76513	76511	76511		FMX	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	ENGINE COMPARTMENT FUSE PANEL BLOCK	ATM	20	ECM1	ENGINE COMPARTMENT FUSE PANEL BLOCK					PER GM BULLETIN DATED 9/5/12; SEE BULLETIN FOR SPECIFIC FUSE PULLING INSTRUCTIONS AND PROCEDURE FOR REINSTALLING, ALONG WITH AFFECTED DATES OF MANUFACTURE.	FOR VEHICLES MANUFACTURED AFTER 4/30/12, THE FUSEMASTERS MUST BE SWITCHED TO THE "TOW" POSITION IN THIS ORDER: ECM1, BATT1, ECM.	2	
TRAVERSE	2013	2017	REQUIRED	76513	76514			FMX	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATC	15	ECM	BATTERY BOX BEHIND PASSENGER SEAT	ATC	15	ONSTAR	BATTERY BOX BEHIND PASSENGER SEAT					BATTERY BOX IS UNDER THE FLOOR, BEHIND THE FRONT PASSENGER SEAT.	THE BATTERY BOX COVER REQUIRES A TORX SCREWDRIVER FOR REMOVAL.	2	
Make/Model	Yr Start	Yr End	Solution	Part for Fuse 1	Part for Fuse 2	Part for Fuse 3	Part for Fuse 4	Type Fuse 1	Amps Fuse 1	ID Fuse 1	Location Fuse 1	Type Fuse 2	Amps Fuse 2	ID Fuse 2	Location Fuse 2	Type Fuse 3	Amps Fuse 3	ID Fuse 3	Location Fuse 3	Type Fuse 4	Amps Fuse 4	ID Fuse 4	Location Fuse 4	Notes	Additional Restrictions	Footnotes	
GMC																											
ACADIA	2007	2008	REQUIRED	76517				HD	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK													PER GM BULLETIN DATED 9/5/12		2	
ACADIA	2009	2011	REQUIRED	76517	76511			HD	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	ENGINE COMPARTMENT FUSE PANEL BLOCK										PER GM BULLETIN DATED 9/5/12		2
ACADIA	2012	2012	REQUIRED	76517	76511	76511		HD	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	ENGINE COMPARTMENT FUSE PANEL BLOCK	ATM	20	ECM1	ENGINE COMPARTMENT FUSE PANEL BLOCK					PER GM BULLETIN DATED 9/5/12; SEE BULLETIN FOR SPECIFIC FUSE PULLING INSTRUCTIONS AND PROCEDURE FOR REINSTALLING, ALONG WITH AFFECTED DATES OF MANUFACTURE.	FOR VEHICLES MANUFACTURED AFTER 4/30/12, THE FUSEMASTERS MUST BE SWITCHED TO THE "TOW" POSITION IN THIS ORDER: ECM1, BATT1, ECM.	2	

Make/Model	Yr Start	Yr End	Solution	Part for Fuse 1	Part for Fuse 2	Part for Fuse 3	Part for Fuse 4	Type Fuse 1	Amps Fuse 1	ID Fuse 1	Location Fuse 1	Type Fuse 2	Amps Fuse 2	ID Fuse 2	Location Fuse 2	Type Fuse 3	Amps Fuse 3	ID Fuse 3	Location Fuse 3	Type Fuse 4	Amps Fuse 4	ID Fuse 4	Location Fuse 4	Notes	Additional Restrictions	Footnotes
ACADIA	2013	2016	REQUIRED	76517	76514			FMX	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	BATTERY BOX BEHIND PASSENGER SEAT	ATC	15	ONSTAR	BATTERY BOX BEHIND PASSENGER SEAT					BATTERY BOX IS UNDER THE FLOOR, BEHIND THE FRONT PASSENGER SEAT.	THE BATTERY BOX REQUIRES A TORX HEAD SCREWDRIVER FOR REMOVAL.	2
ACADIA LIMITED	2017	2017	REQUIRED	76517	76514			FMX	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	BATTERY BOX BEHIND PASSENGER SEAT	ATC	15	ONSTAR	BATTERY BOX BEHIND PASSENGER SEAT					BATTERY BOX IS UNDER THE FLOOR, BEHIND THE FRONT PASSENGER SEAT.	THE BATTERY BOX REQUIRES A TORX HEAD SCREWDRIVER FOR REMOVAL.	2
TERRAIN	2010	2017	REQUIRED	76511				ATM	5	KEY LOGIC 32	ENGINE COMPARTMENT FUSE BLOCK															

Make/Model	Yr Start	Yr End	Solution	Part for Fuse 1	Part for Fuse 2	Part for Fuse 3	Part for Fuse 4	Type Fuse 1	Amps Fuse 1	ID Fuse 1	Location Fuse 1	Type Fuse 2	Amps Fuse 2	ID Fuse 2	Location Fuse 2	Type Fuse 3	Amps Fuse 3	ID Fuse 3	Location Fuse 3	Type Fuse 4	Amps Fuse 4	ID Fuse 4	Location Fuse 4	Notes	Additional Restrictions	Footnotes	
HONDA																											
CRV	2007	2011	REQUIRED	76511				ATM	7.5	ACC RADIO 34	INSTRUMENT PANEL FUSE BLOCK														CUSTOMER TO SUPPLY ATM FUSE TO MATCH RATING OF FUSE IN CAR TO FIT FUSEHOLDER IN HARNESS		
CRV (one fuse)	2012	2014	REQUIRED	76511				ATM	7.5	ACC RADIO 19	INTERIOR FUSE BLOCK														CUSTOMER TO SUPPLY ATM FUSE TO MATCH RATING OF FUSE IN CAR TO FIT FUSEHOLDER IN HARNESS		4,6
CRV (two fuses)	2012	2014	REQUIRED	76512				ATM	7.5	ACCESSORY RADIO 19	INSTRUMENT PANEL FUSE BLOCK	ATM	7.5	ACC KEYLOCK 20	INSTRUMENT PANEL FUSE BLOCK										CUSTOMER TO SUPPLY ATM FUSE TO MATCH RATING OF FUSE IN CAR TO FIT FUSEHOLDER IN HARNESS		4,6
FIT	2009	2013	REQUIRED	76511				ATM	30	RADIO 61	INTERIOR FUSE BLOCK														CUSTOMER TO SUPPLY 20 AMP ATM FUSE. CONTRARY TO VEHICLE'S SUPPLIED FUSE, 20 AMPS IS SUFFICIENT FOR CIRCUIT		
FIT	2015	2017	REQUIRED	76512	76511			ATM	20	ACC SOCKET 36	INSTRUMENT PANEL FUSE BLOCK	ATM	7.5	ACC 37	INSTRUMENT PANEL FUSE BLOCK	ATM	15	BACKUP MAIN 21	ENGINE COMPARTMENT FUSE BLOCK								1, 3, 5
HRV	2016	2018	REQUIRED	76512	76511			ATM	20	ACC SOCKET 36	INSTRUMENT PANEL FUSE BLOCK	ATM	7.5	ACC 37	INSTRUMENT PANEL FUSE BLOCK	ATM	15	BACKUP MAIN 21	ENGINE COMPARTMENT FUSE BLOCK						CUSTOMER TO SUPPLY 20 AMP ATM FUSE. CONTRARY TO VEHICLE'S SUPPLIED FUSE, 20 AMPS IS SUFFICIENT FOR CIRCUIT		

Make/Model	Yr Start	Yr End	Solution	Part for Fuse 1	Part for Fuse 2	Part for Fuse 3	Part for Fuse 4	Type Fuse 1	Amps Fuse 1	ID Fuse 1	Location Fuse 1	Type Fuse 2	Amps Fuse 2	ID Fuse 2	Location Fuse 2	Type Fuse 3	Amps Fuse 3	ID Fuse 3	Location Fuse 3	Type Fuse 4	Amps Fuse 4	ID Fuse 4	Location Fuse 4	Notes	Additional Restrictions	Footnotes
------------	----------	--------	----------	-----------------	-----------------	-----------------	-----------------	-------------	-------------	-----------	-----------------	-------------	-------------	-----------	-----------------	-------------	-------------	-----------	-----------------	-------------	-------------	-----------	-----------------	-------	-------------------------	-----------

Make/Model	Yr Start	Yr End	Solution	Part for Fuse 1	Part for Fuse 2	Part for Fuse 3	Part for Fuse 4	Type Fuse 1	Amps Fuse 1	ID Fuse 1	Location Fuse 1	Type Fuse 2	Amps Fuse 2	ID Fuse 2	Location Fuse 2	Type Fuse 3	Amps Fuse 3	ID Fuse 3	Location Fuse 3	Type Fuse 4	Amps Fuse 4	ID Fuse 4	Location Fuse 4	Notes	Additional Restrictions	Footnotes
OLDSMOBILE																										
ALERO	2001	2003	RECOMMENDED	76512				ATM		"G" PCM ACC		ATM		"I" IPC BFC ACC										LEAVE 25 AMP FUSE IN WIPERS		1
PONTIAC																										
G6	2005	2006	REQUIRED	76513				FMX	30	BCM	ENGINE COMPARTMENT FUSE BLOCK															
G6 (inc. '09 convertible)	2007	2010	REQUIRED	76511				ATM		IGN SENSOR	INSTRUMENT PANEL FUSE BLOCK															
SATURN																										
AURA	2007	2009	REQUIRED	76511				ATM		IGN	INSTRUMENT PANEL FUSE BLOCK															
ION	2003	2007	NONE					MAXI		IPBATT2	ENGINE COMPARTMENT FUSE BLOCK													NO APPLICATION FOR THIS FIT		
L Series	2000	2005	REQUIRED	76515	76515-10			MAXI	30	IGN0/3/CR	ENGINE COMPARTMENT FUSE BLOCK	MAXI	30	IGN1/2	ENGINE COMPARTMENT FUSE BLOCK									IF YOUR OWNER'S MANUAL SAYS TO PULL ONE FUSE, ORDER A 76515. IF IT SAYS TO PULL TWO, ORDER A 76515 AND A 76515-10.		
OUTLOOK	2007	2008	REQUIRED	76513				HD	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK													PER GM BULLETIN DATED 9/5/12		2
OUTLOOK	2009	2010	REQUIRED	76513	76511			HD	50	BATT1	ENGINE COMPARTMENT FUSE BLOCK	ATM	15	ECM	ENGINE COMPARTMENT FUSE PANEL BLOCK									PER GM BULLETIN DATED 9/5/12		2
SLI	1995	2004	NONE					MAXI																NO APPLICATION FOR THIS FIT		
SL2	1995	2004	NONE					MAXI																NO APPLICATION FOR THIS FIT		
SW1	1995	2004	NONE					MAXI																NO APPLICATION FOR THIS FIT		
VUE	2003	2007	REQUIRED	76515				MAXI	30	IGN	ENGINE COMPARTMENT FUSE BLOCK															
VUE	2008	2009	REQUIRED	76511				ATM		IGN SW	INSTRUMENT PANEL FUSE BLOCK															

Footnotes:

- Sometimes, the owner's manual may not explicitly state to pull fuses. In these cases, Roadmaster uses information obtained from alternate sources to recommend pulling specific fuses.
- See bulletin for more information on vehicle manufacturing dates and how it affects the fits: roadmasterinc.com/pdf/85-4963-00.pdf.
- FuseMaster may not be necessary. Some owner's manuals say to pull fuses; some do not.
- If your owner's manual says to only pull the #19 ACC radio fuse, use part #76511. If it states to pull the #19 ACC radio fuse and the #20 ACC key lock fuse, use part number #76512.
- Some vehicles may not have the #17 ACC socket fuse. For these models, use two 76511s instead.
- Owner's manuals for 2014 Honda CRVs may incorrectly identify the fuse in the schematic. roadmasterinc.com/pdf/85-5426-00.pdf